

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	915	(flat near2 battery) and (electrode with (terminal tab lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/01/05 10:02
L9	531	L8 and "429"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/01/05 10:02
L10	47	L9 and ((aluminum adj foil) with laminate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/01/05 10:02
L11	10039	yuasa.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/01/05 10:05
L12	603	11 and "429"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/01/05 10:05
L13	3	12 and (laminate with (aluminum adj foil))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/01/05 10:06
L14	9954	"429"/\$.ccls. and (battery with case)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/01/05 10:07
L15	49	14 and ((aluminum adj foil) same barrier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/01/05 10:08
L16	1196	14 and ((aluminum adj foil) same layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/01/05 10:08
L17	12	16 and ((aluminum adj foil) with laminate with ((sealant resin) adj layer))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/01/05 10:09
L18	2	"2000123801"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/01/05 10:10
L19	0	2000/059063	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/01/05 10:10
L20	4	"2000059063"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/01/05 10:10

S1	1	"10578408"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/21 13:30
S2	1	"20020192544"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/21 14:33
S3	6	"6428934"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/21 14:34
S4	2	"6743546"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/21 14:34
S5	544	429/211.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/25 10:11
S6	14	S5 and (noncoated or (non adj coated) or (non\$1 adj coated))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/25 10:13
S7	1	"2000311717"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/25 10:59
S8	1	"6428934".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/29 10:09
S9	0	S8 and (sheet with thickness)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/29 10:10
S10	0	S8 and (laminated with thickness)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/29 10:10
S11	0	S8 and (film with thickness)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/29 10:10
S12	0	S8 and (lamine with thickness)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/29 10:10
S13	1091	429/162.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/29 10:14
S14	742	((429/162)).CCLS.	USPAT; USOCR	OR	OFF	2008/02/29 10:15
S15	124	S14 and (vacuum)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/29 10:15
S16	124	S14 and (vacuum)	US-PGPUB; USPAT	OR	OFF	2008/02/29 10:16
S17	125	S14 and (vacuum)	US-PGPUB; USPAT	OR	ON	2008/02/29 10:16

S18	788	((429/162)).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/02/29 10:18
S19	203	S18 and (vacuum)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/29 10:18
S20	45	S16 and (seal\$3 with vacuum)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/29 10:18
S21	45	S16 and (seal\$3 with vacuum)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 10:19
S22	64	S18 and (seal\$3 with vacuum)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 10:19
S23	1	"10578408"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2008/02/29 10:26
S24	1	S23 and (seal\$2 with pressure)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/02/29 10:26
S25	2	"20020142195"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/11/18 08:45
S26	9	"6632538"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/11/18 08:49
S27	5	(flat near2 battery) and (electrode with (noncoated non- coated non\$1coated))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/11/18 09:14
S28	806	(flat near2 battery) and (electrode with (terminal tab lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/11/18 09:39
S29	443	S28 and "429"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/11/18 09:39
S30	86	S29 and (inner with (resin layer film))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/11/18 09:40
S31	1120	429/162.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/11/18 09:44
S32	86	S31 and (resin near2 layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/11/18 09:45
S33	817	429/162.ccls.	US-PGPUB; USPAT	OR	OFF	2008/11/18 09:45

S34	74	S33 and (resin near2 layer)	US-PGPUB; USPAT	OR	OFF	2008/11/18 09:45
S35	817	429/162.ccls.	US-PGPUB; USPAT	OR	OFF	2008/11/18 13:42
S36	4	"2000059063"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/11/18 14:04
S37	2	"2000123801"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/11/18 14:05
S38	2	"2002289154"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/11/18 14:06
S39	2	"2001283798"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/11/18 14:07
S40	2	"2000311717"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/11/18 14:07
S41	2	"2000173641"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/11/18 14:08
S42	858	(flat near2 battery) and (electrode with (terminal tab lead))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/05/26 08:16
S43	490	S42 and "429"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/05/26 08:16
S44	98	S43 and (inner with (resin layer film))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/05/26 08:16

1/ 5/ 2010 11:20:09 AM

C:\Documents and Settings\ aarciero\ My Documents\ EAST\ Workspaces\ 10-578408-BATTERY.wsp